

ATTACHMENT 0001 CAPABILITIES REQUIREMENTS MATRIX			
	Requirement	Meets Requirement and is Acceptable. Indicate Supporting Document Page and Paragraph	Specify Value
	3.1.1 Loopback Interface		
	3.2.1 VLAN		
	3.2.2 Priority Queuing		
	3.2.6 Fast Ethernet		
	3.3.1.1 Route Distribution		
	3.3.1.2 RIPv2 and OSPFv2 Route Filtering		
	3.3.1.3 Default Address Filtering		
	3.3.1.4 Static Routing		
	3.3.1.5 Static Default Address		
	3.3.1.6 Route Summarization		
	3.3.1.7 Route Redistribution		
	3.3.1.8 Default Address Distribution		
	3.3.2.1 Overhead Reduction		
	3.3.4.1 IPv6		
	3.3.2.2 UDP		
	3.3.2.3 TCP		
	3.3.3.5 ICMP Router Discovery		
	3.3.3.9 PPPoE		
	3.3.5.3. DSCP Data		
	3.3.5.5 IPSec		

ATTACHMENT 0001 CAPABILITIES REQUIREMENTS MATRIX			
	Requirement	Meets Requirement and is Acceptable. Indicate Supporting Document Page and Paragraph	Specify Value
	3.3.5.6 IPv4 Tunneling		
	3.3.5.8 GRE		
	3.4.1 Port Mirroring		
	3.4.3 Static Provisioning of IP Multicast Routing		
	3.4.7 PIM-SM		
	3.4.8 PIM-DM		
	3.4.10 IGMPv3		
	3.4.15 IGMPv3 Proxy		
	3.5.1.1 RIPv2		
	3.5.1.2. RIPv2 MIB		
	3.5.1.3 RIPv2 MD5		
	3.5.2.1 OSPFv2		
	3.5.2.2 Stub Router Advertisement		
	3.6.1 DSCP IPv4 Marking		
	3.6.6 DiffServ Architecture		
	3.6.7 EF PHB		
	3.6.8 AF PHB		
	3.6.10 Traffic Prioritization*		
	3.6.12 Queuing Classes		
	3.6.14 QoS Queues		
	3.6.16 Queue Management Techniques		
	3.6.17 Credit Based Flow Control		

ATTACHMENT 0001 CAPABILITIES REQUIREMENTS MATRIX			
	Requirement	Meets Requirement and is Acceptable. Indicate Supporting Document Page and Paragraph	Specify Value
<b>SECURITY</b>			
	3.7.1.1 Modification of Firewall Rules		
	3.7.1.2 Modification of Firewall Rule-sets		
	3.7.1.4 Packet Acounting		
	3.7.2.1 Stateless Packet Filtering Rules		
	3.7.2.2 Stateful Packet Filtering Rules		
	3.7.2.3 Packet Inspection		
	3.7.2.7 Modification of IDS SNMP Alert Configuration		
	3.7.2.8 IDS Running Configuration		
	3.7.2.15 Intrusion Logging		
	3.7.2.16 SNMP Traps		Sec
	3.7.2.21 IPv4 Intrusion Detection Functions		
	3.7.3.1 Disabling of BOOTP and HTTP		
	3.7.3.2 DHCP on Physical and Logical Interfaces		

ATTACHMENT 0001 CAPABILITIES REQUIREMENTS MATRIX			
	Requirement	Meets Requirement and is Acceptable. Indicate Supporting Document Page and Paragraph	Specify Value
	3.7.3.4 Disabling of Physical Interfaces		
	3.7.5.1 Removed*		
	3.7.6.1 PKI Function Compliance		
	3.7.6.5 Storing Private Keys		
CONFIGURATION AND MANAGEMENT			
	3.8.1.2 Network Connected Configuration Modification		
	3.8.1.3 Configuration Modification while Operating		
	3.8.2.1 Previously Loaded Configuration		
	3.8.2.2 Reload With a New Configuration		
	3.8.2.5 Dymnamic Configuration		
	3.8.2.9 Automatic Operational State		
	3.8.2.13 Configuration Modification During Run Time		
	3.8.3.1 Configuration From Network interface		

ATTACHMENT 0001 CAPABILITIES REQUIREMENTS MATRIX			
	Requirement	Meets Requirement and is Acceptable. Indicate Supporting Document Page and Paragraph	Specify Value
	3.9.1 Management from an Network Management Station		
	3.10.1.1 Secure System Software Upgrade*		
	3.10.2.1 Troubleshooting		
	3.10.2.3 Debug Output Readable		
MILITARY ENVIRONMENT			
	3.11.1 Minimum Throughput Required		Mb/s
	3.12.1 Maximum Power Consumption Required		Watts
	3.12.2 Vehicle Power		
	3.13.1.1 Maximum Volume Required		Cubic inches
	3.13.1.3 Maximum Weight Required		Pounds
	3.14.1.1 Operating Temperature		
	3.14.1.2 Non-operating Temperature		
	3.14.2.1 High Humidity		
	3.14.3.1 Operating Altitude		

ATTACHMENT 0001 CAPABILITIES REQUIREMENTS MATRIX			
	Requirement	Meets Requirement and is Acceptable. Indicate Supporting Document Page and Paragraph	Specify Value
	3.14.3.2 Non-operating Altitude		
	3.14.4.1 Dust Accumulation		
	3.14.5 Salt Fog		
	3.14.6.1 Functional Shock		
	3.14.7.1 Operational		
	3.14.8 Fungus Resistance		
	3.14.9.1 EMI/EMC		
	3.14.9.2 Conducted and Radiated Susceptibility		
SUPPORTABILITY AND HUMAN FACTORS			
	3.15.1.1 MTBF		Calculated MTBF
	3.16.1 Electrical Safety		
	3.16.3.2 Temperature Limits		
	3.16.4.2 Safety markings and Labels		
	3.17.3 Accidental Actuation		
	3.17.7 Connector Spacing for 8P8C Connectors		

(\*Added/Removed by Amendment 0001)